

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

layer 2 VLAN password authentication user u 1999 - 2003

Ad
Sc
Sc

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 114 for [layer 2 VLAN password auther](#)

Did you mean: [layer 2 VLAN password authentication user username OR ACL OR MAC OR users](#)

[User-based binding of network stations to broadcast domains](#) - all 8 versions »

JJ Ekstrom, JB Gille - US Patent 5,908,126, 1999 - [freepatentsonline.com](#)

... 1. Stations 120 communicate using the IPX network layer protocol. ... UBA1. Determine (1) the assigned VLAN or VLANs and (2) client MAC address and/or switch ...

[Cited by 19](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Interworking architecture between 3GPP and WLAN systems](#)

K Ahmavaara, H Haverinen, R Pichna - Communications Magazine, IEEE, 2003 - [ieeexplore.ieee.org](#)

... with IEEE802.1Q [9] tag switching to support virtual LAN (VLAN). ... Layer 2 distribution network ... The password can be static, limited time, or even generated ad ...

[Cited by 161](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Using policies for effective network management](#) - all 5 versions »

MJ Wright - International Journal of Network Management, 1999 - [portal.acm.org](#)

... to a virtual LAN (Figure 3). Layer three policies ... Figure 2. Networks support many protocols such as DECnet ... s computer forms the basis for VLAN membership, with ...

[Cited by 21](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Implementation of campus-wide wireless network services using ATM, virtual LANs, and wireless ...](#) - all 6 versions »

JW Lockwood - Wireless Communications and Networking Conference, 1999. ..., 1999 - [ieeexplore.ieee.org](#)

... Figure 2: Spanning Wireless over the VLAN ... W-VLAN Services ... Secondly, a DHCP server is used to selectively control the assignment of layer-3 Internet addresses ...

[Cited by 8](#) - [Related Articles](#) - [Web Search](#)

[An Access Control Architecture for Microcellular Wireless IPv6 Networks](#) - all 10 versions »

S Schmid, J Finney, M Wu, A Friday, AC Scott, WD ... - Proceedings of 26th Annual IEEE Conference on Local Computer ..., 2001 - [doi.ieeeecomputersociety.org](#)

... first provide its username and password to the ... based on a remote configurable VLAN switch, Berkeley ... access control [22] performs layer 2 authentication of the ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Secure wireless Internet access in public places](#) - all 13 versions »

P Bahi, S Venkatachary, A Balachandran - Communications, 2001. ICC 2001. IEEE International ..., 2001 - [ieeexplore.ieee.org](#)

... isolated on a "non-connected" VLAN until the ... transmission technologies for IMT-2000." [2] IEEE 802.1 ... Control (MAC) and Physical Layer (PHY) specification ...

[Cited by 24](#) - [Related Articles](#) - [Web Search](#)

[User-friendly access control for public network ports](#) - all 27 versions »

G Appenzeller, M Roussopoulos, M Baker - INFOCOM'99. Eighteenth Annual Joint Conference of the IEEE ..., 1999 - [ieeexplore.ieee.org](#)

... web browser that supports the Secure Socket Layer (SSL) [8 ... or college campus to use such VLAN switches would ... to the campus back- bone (see Figure 2). The other ...

[Cited by 29](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[PDF] [Authentication and Authorization: The Big Picture with IEEE 802.1 X - all 3 versions](#) >

AA Fisher - Online: http://rr.sans.org/authentic/IEEE_8021X.php, 2001 - [sans.org](http://www.sans.org)

... authentication protocols (ie user login and password) successfully restrict ... as outside FTP or access to a particular VLAN). ... in a switch or router (layer 2 or 3 ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Policy-based Authentication and Authorization: Secure Access to the Network Infrastructure - all 9 versions](#) >

J Hayes - 16th Annual Computer Security Applications Conference (ACSAC ...), 2000 - doi.ieeecs.org

... team read-only, routing, and VLAN configuration privileges. ... policy (obtained previously in #1 and #2). Once it ... SSL) and its cousin Transport Layer Security (TLS ...

[Cited by 16](#) - [Related Articles](#) - [Web Search](#)

[QoS in DSL access](#)

C Bouchat, S van den Bosch, T Pollet - Communications Magazine, IEEE, 2003 - ieeexplore.ieee.org

... [2] IEEE 802.1q, VLAN. ... Lately, she has changed her focus from physical layer to higher layer, joining the ATM to IP Access Node group and then the Network ...

[Cited by 14](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Key authors: [K Ahmavaara](#) - [H Haverinen](#) - [R Pichna](#) - [M Kao](#) - [W Sherer](#)


Did you mean to search for: [layer 2 VLAN password authentication user username OR ACL OR MAC OR users](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

MAC layer 2 switch VLAN password authentic 2000 - 2002

Ad
Sc
Sc

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 20 for [MAC layer 2 switch VLAN passw](#)

[An Access Control Architecture for Microcellular Wireless IPv6 Networks - all 10 versions »](#)

S Schmid, J Finney, M Wu, A Friday, AC Scott, WD ... - Proceedings of 26th Annual IEEE Conference on Local Computer ..., 2001 - doi.ieeecomputersociety.org

... To prevent MAC address spoofing and replay attacks based ... same network port on the switch/hub ... network access control [22] performs layer 2 authentication of the ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[PDF] [Authentication and Authorization: The Big Picture with IEEE 802.1 X - all 3 versions »](#)

AA Fisher - Online: http://rr.sans.org/authentic/IEEE_8021X.php, 2001 - sans.org

... Network services are typically restricted in a switch or router (layer 2 or 3 device) by the computer's hardware (MAC) or IP address. ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[An Access Control Architecture for Metropolitan Area Wireless Networks - all 7 versions »](#)

S Schmid, J Finney, M Wu, A Friday, A Scott, D ... - Proc. 8th International Workshop on Interactive Distributed ..., 2001 - Springer

... the architecture supports an additional layer of protection ... a reprieve time of approximately 2-5 seconds ... security (ie, vulnerable to MAC address spoofing). ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[BOOK] [Wireless security - all 5 versions »](#)

M Maxim, D Pollino - 2002 - islab.oregonstate.edu

... Many net- work administrators rely on layer 2 security mechanisms such as ... they break down into three main categories: switch attacks, MAC attacks, and ...

[Cited by 24](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Policy-based Authentication and Authorization: Secure Access to the Network Infrastructure - all 9 versions »](#)

J Hayes - 16th Annual Computer Security Applications Conference (ACSAC ..., 2000 - doi.ieeeecs.org

... an IP source or destination address, MAC address, or ... policy (obtained previously in #1 and #2). Once it ... Layer (SSL) and its cousin Transport Layer Security (TLS ...

[Cited by 16](#) - [Related Articles](#) - [Web Search](#)

[DOC] [Making IEEE 802.11 Networks Enterprise-Ready - all 4 versions »](#)

A Ayyagari, T Fout - Microsoft Corporation, 2001 - maxwireless.biz

... Figure 2 above illustrates a typical network scenario for un ... Part 11: Wireless LAN Media Access Control (MAC) and Physical Layer (PHY) Specifications, Draft ...

[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[A wireless public access infrastructure for supporting mobile context-aware IPv6 applications - all 3 versions »](#)

A Friday, M Wu, S Schmid, J Finney, K Cheverst, N ... - Proceedings of the first workshop on Wireless mobile ..., 2001 - portal.acm.org

... Handover is thus also an application layer issue in the current ... we plan to use the gateway (see figure 2) as a ... A 1:1 MAC to IP address ratio is maintained and ...

[Cited by 8](#) - [Related Articles](#) - [Web Search](#)

Experimental Study of a Network Access Server for a public WLAN access network - all 4 versions »

J Caballero, D Malmkvist - 2002 - d.kth.se

... 80 Figure 5.21 Password change webpage ... January 2002 2 Background ... In fact the standard defined three physical layers and one MAC layer for implementing wireless ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

[BOOK] Cisco Field Manual: Router Configuration

D Hucaby, S McQuerry - 2002 - books.google.com

... Configuration —Chapter 3, Dial Solutions •Part II—Layer 2 Networking —Chapter 4 ... Part V—Voice and Telephony — Chapter 1 2, Voice and ... Catalyst Switch ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)


[PDF] Open Source Security Testing Methodology Manual - all 8 versions »

P Herzog - GNU Public License Document, 2002 - linuxsecurity.com

... depends on the kind and amount of authentication, nonrepudiation, access ... 1. Network Surveying 2. Port Scanning 3. System Fingerprinting 4 ... Password Cracking 18. ...

[Cited by 22](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Key authors: [S Schmid](#) - [A Friday](#) - [J Finney](#) - [M Wu](#) - [A Scott](#)

Google 

Result Page: 1 2 [Next](#)

MAC layer 2 switch VLAN password authentication user username OR ACL OR VLANI...

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Ad](#)
[Sc](#)
[Sc](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 458 for [invalid MAC address switch OR](#)

Did you mean: [invalid MAC address switch OR VLAN authentication](#)

[System and method for controlled access to shared-medium public and semi-public internet protocol \(... - all 3 versions »](#)

LC Massarani - US Patent 6,393,484, 2002 - [freepatentsonline.com](#)

... If the MAC address is invalid, that is, not ... or command interface to the end router/switch that is ... selected IP address and the end user's device MAC address. ...

[Cited by 9](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Enhanced intranet management in a DHCP-enabled environment - all 7 versions »](#)

JH Wang, TL Lee - Computer Software and Applications Conference, 2002. COMPSAC ..., 2002 - [ieeexplore.ieee.org](#)

... when trusted host A tries to send packets using the same IP address as trusted host B, layer 2 switch will not notice invalid packets from (MAC ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Biometric authenticated vlan - all 3 versions »](#)

M Kuwata, K Okamura, T Oasa - EP Patent 1,244,273, 2002 - [freepatentsonline.com](#)

... to establish an authentication session using a known address of the ... A MAC-based flow is contemplated ... a login valid message or a login invalid message, received ...

[Cached](#) - [Web Search](#)

[Authenticated Ad Hoc Routing at the Link Layer for Mobile Systems - all 13 versions »](#)

J Binkley, W Trost - Wireless Networks, 2001 - Springer

... The user may then switch to ARP mode if necessary ... exist (such as authentication failures due to invalid keys ... by making other nodes bind its MAC address to the ...

[Cited by 41](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[An Access Control Architecture for Microcellular Wireless IPv6 Networks - all 10 versions »](#)

S Schmid, J Finney, M Wu, A Friday, AC Scott, WD ... - Proceedings of 26th Annual IEEE Conference on Local Computer ..., 2001 - [doi.ieeecomputersociety.org](#)

... users who repeatedly send packets with invalid IP addresses ... To prevent MAC address spoofing and replay attacks based ... ie, packet type, source address, data rate ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Wireless intrusion detection and response - all 13 versions »](#)

YX Lim, TS Yee, J Levine, HL Owen - Information Assurance Workshop, 2003. IEEE Systems, Man and ..., 2003 - [ieeexplore.ieee.org](#)

... or APs would respond to these invalid frames and ... a valid user with an unregistered MAC address or an ... Instead, it had to switch frequently between channels to ...

[Cited by 38](#) - [Related Articles](#) - [Web Search](#)

[A wireless public access infrastructure for supporting mobile context-aware IPv6 applications - all 3 versions »](#)

A Friday, M Wu, S Schmid, J Finney, K Cheverst, N ... - Proceedings of the first workshop on Wireless mobile ..., 2001 - [portal.acm.org](#)

... similar to the remote configurable VLAN switch of CMU ... Invalid or Expired •

[Credentials/Cell based Access ... MAC Address Snoring/ Rapid cycling of MAC addresses ...](#)

[Cited by 8](#) - [Related Articles](#) - [Web Search](#)

[An analysis of Bluetooth security vulnerabilities - all 2 versions »](#)

[CT Hager, SF Midkiff - Wireless Communications and Networking, 2003. WCNC 2003. ..., 2003 - ieeexplore.ieee.org](#)

... validation identified by Lough [2]. • The MAC address of IEEE ... is not properly validated, thus, address spoofing is ... The fourth state is an invalid state and ...

[Cited by 17](#) - [Related Articles](#) - [Web Search](#)

[S-ARP: a secure address resolution protocol - all 8 versions »](#)

[D Bruschi, A Ormaghi, E Rosti - Computer Security Applications Conference, 2003. Proceedings ..., 2003 - ieeexplore.ieee.org](#)

... between those two hosts, without the switch realiz- ing it ... the cache, the reply is considered invalid and is ... reply from victim 192.168.0.1 with MAC address 01:01 ...

[Cited by 18](#) - [Related Articles](#) - [Web Search](#)

[DoS and authentication in wireless public access networks - all 17 versions »](#)

[DB Faria, DR Cheriton - Proceedings of the ACM workshop on Wireless security, 2002 - portal.acm.org](#)

... less network given the invalid assumption made ... providing confidential- ity, sender authentication, integrity, and ... with the client's MAC address as destination ...

[Cited by 42](#) - [Related Articles](#) - [Web Search](#)

Key authors: [A Friday](#) - [S Schmid](#) - [J Finney](#) - [M Wu](#) - [N Beser](#)

Did you mean to search for: [invalid MAC address switch OR VLAN authentication](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Ad](#)
[Sc](#)
[Sc](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 222 for VLAN authenticating MAC add

[Network device for supporting construction of virtual local area networks on arbitrary local and ... - all 3 versions »](#)

L Jain, MT Ford - US Patent 6,047,325, 2000 - freepatentsonline.com

... generally is associated with only one VLAN and cannot be ... 20 may be encrypted and require authentication in order ... In step 136, the MAC address for the machine ...

[Cited by 23](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Using policies for effective network management - all 5 versions »](#)

MJ Wright - International Journal of Network Management, 1999 - portal.acm.org

... two categories: traffic-driven methods (MAC, IP, protocol ... If policies are used to establish VLAN connectivity, the ... use directory services to authenticate a user ...

[Cited by 21](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[A protection method against unauthorized access and addressspoofing for open network access systems - all 2 versions »](#)

H Ishibashi, N Yamai, K Abe, T Matsuura - Communications, Computers and signal Processing, 2001. ..., 2001 - [ieeexplore.ieee.org](#)

... After successful authentication, the LAN server transmi- the 3-tuple for C (MAC address M, IP address I, VLAN ID and the user's information to the ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

[Wireless LAN Security - all 2 versions »](#)

M Andress - Information Systems Security, 2002 - [informaworld.com](#)

... distribute a list of valid MAC addresses to ... nets have gateways that require authentication before packets can be ... nets can be created with VLAN technology using ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PDF\] Authentication and Authorization: The Big Picture with IEEE 802.1 X - all 3 versions »](#)

AA Fisher - Online: http://r.sans.org/authentic/IEEE_8021X.php, 2001 - [sans.org](#)

... TLS - Transport Level Security VLAN - Virtual LAN - the ability ... is a typical 802.1X authentication criterion ... a.) MAC address b.) IP address c.) Switch Port ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Secure wireless Internet access in public places - all 13 versions »](#)

P Bahl, S Venkatachary, A Balachandran - Communications, 2001. ICC 2001. IEEE International ..., 2001 - [ieeexplore.ieee.org](#)

... design does protect against MAC-address spoofing ... Implementing EAP-based authentication requires specialized hardware in ... on a "non-connected" VLAN until the ...

[Cited by 24](#) - [Related Articles](#) - [Web Search](#)

[Secure virtual LANs - all 6 versions »](#)

WWA Gage, M Woliensak, L Himbeault - US Patent 6,035,405, 2000 - freepatentsonline.com

... join a VLAN with little or no authentication by the ... Membership in a VLAN can be defined by user name ... end station media access control (MAC) address or Internet ...

[Cited by 2](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Biometric authenticated vlan - all 3 versions »](#)

M Kuwata, K Okamura, T Oasa - EP Patent 1,244,273, 2002 - freepatentsonline.com
... may be an IP address or a reserved media access control (MAC) address. FIG. ... information
from the host 12 and authenticating the user to a particular VLAN. ...

[Cached](#) - [Web Search](#)

Multicast-enabled address resolution protocol (ME-ARP) - all 8 versions »

M Wiget, R Pluim, SD Bryden, G Mattson - US Patent 6,640,251, 2003 - freepatentsonline.com
... EP0812086, Vlan control system and method. ... we have shown an IPsec AH encapsulation
(with authentication). ... for end station B and the MAC address containing the ...

[Cited by 2](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

IEEE standard 802.16: a technical overview of theWirelessMAN TM air interface for broadband ... - all 10 versions »

C Eklund, RB Marks, KL Stanwood, S Wang - Communications Magazine, IEEE, 2002 - ieeexplore.ieee.org
... Fixed Broadband Wireless Access Systems") to address 10—66 ... specifics of the
802.16a amendment prior to its ... MAC PDU which has started in previous TC P00 ...

[Cited by 312](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Key authors: [L Jain](#) - [P Bahl](#) - [C Eklund](#) - [M Wright](#) - [M Ford](#)

Google 

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[shantoabedin@gmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

Google

layer 2 device MAC user authentication password pdf username | id passw

Web Results 1 - 10 of about 3,110 for [layer 2 device MAC user authentication password pdf username | id p](#)

[An Access Control Architecture for Metropolitan Area Wireless Networks](#)

based on the concepts of secure user authentication, packet marking, and packet encrypted user password, its IPv6 address and MAC address. ...

[www.springerlink.com/index/m04a23dwb7h3mjya.pdf](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] Hardening ProCurve Switches](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ProCurve Switch(config)# aaa authentication login privilege-mode ... not match the sender MAC address in the body of the ARP packet. ...

[www.hp.com/rnd/pdfs/Hardening_ProCurve_Switches_White_Paper.pdf](#) -

[Similar pages](#) - [Note this](#)

[Design of broadband IPv6/IPv4 dual-stack access router based on ...](#)

The PCI's authentication. procedure is:. I The user name and password are inputted on the web. page in PC1, and the packet. is. sent to the access. router; ...

[ieeexplore.ieee.org/iel5/8749/27719/01236247.pdf?arnumber=1236247](#) -

[Similar pages](#) - [Note this](#)

[EXPLOITING VLANS](#)

From this packet, the switch learns the station's MAC address (2). We strongly suggest using 802.1x for port-based user authentication instead. ...

[https://.../0073.html](#) - 61k - [Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] MAC Authentication Bypass](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Switch will send the device. MAC address as the. username AND password access switch in question, such as per-user ACLs, VLAN assignment, and so on. In ...

[www.cisco.com/univercd/cc/td/doc/solution/macauthb.pdf](#) - [Similar pages](#) - [Note this](#)

[Foundry Networks Aggregation/Backbone \(L2/3\) Products - BigIron RX ...](#)

The BigIron RX Series of Layer 2/3 Ethernet switches excels in all of these areas, MAC address, Ethernet type, VLAN-ID values and 802.1p values; ACL ...

[www.foundrynet.com/products/enterprise/agg-bb-l23/bi-rx.html](#) - 41k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] OptiSwitch® MR2228-S2C L2/4 Stackable Switch](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

MR2228-S2C supports comprehensive layer 2 features such as Private VLAN, ... 802.1x can be used to authenticate. users based on username and password (or ...

[www.mrv.com/library/download.php?ctl=MRV-OTHER-MR2228&type=pdf72_url](#) -

[Similar pages](#) - [Note this](#)

[\[PDF\] Hacking Layer 2: Fun with Ethernet Switches](#)

File Format: PDF/Adobe Acrobat

VLAN assignment based on MAC address or HTTP Auth (URT) ... Send ID/Password.

Forward Credentials to ACS Server. Authentication Successful ...

[www.blackhat.com/presentations/bh-usa-02/bh-us-02-convery-switches.pdf](#) -

[Similar pages](#) - [Note this](#)

[PDF] [Carrier-Class VoIP Security for the Enterprise](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Media Access Control (MAC) address authentication and locking username and password) and consequently drops the packet if these ...

[www.solunet.com/wp-upload/09009403800943dWhite_paper.pdf](#) - [Similar pages](#) - [Note this](#)

[PDF] [H3C S5510 Series Ethernet Switches](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Flow-based packet VLAN ID change. Customer can configure the switch to change the ...

Binding the MAC address and IP address of an authenticated user host ...

[www.arcon.com.tw/products/CTOC/CTOC_H3C_Product/En-S5510-DatS-](#)

[V1.00_200611_.pdf](#) - [Similar pages](#) - [Note this](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

-

Ad
Sc
Sc

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 51 for [username layer 2 VLAN passw](#)

[User-based binding of network stations to broadcast domains - all 8 versions »](#)

JJ Ekstrom, JB Gille - US Patent 5,968,126, 1999 - [freepatentsonline.com](#)
... 120 communicate using the IPX network layer protocol ... if needed: The request contains the user name, the client ... 1) the assigned VLAN or VLANs and (2) client MAC ...

[Cited by 19](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Interworking architecture between 3GPP and WLAN systems](#)

K Ahmavaara, H Haverinen, R Pichna - Communications Magazine, IEEE, 2003 - [ieeexplore.ieee.org](#)
... Layer 2 distribution network ... the Network Access Identifier (NAI), which is the username format used ... The NAI consists of a user- name portion, followed by the ...

[Cited by 181](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[An Access Control Architecture for Microcellular Wireless IPv6 Networks - all 10 versions »](#)

S Schmid, J Finney, M Wu, A Friday, AC Scott, WD ... - Proceedings of 26th Annual IEEE Conference on Local Computer ..., 2001 - [doi.ieeecomputersociety.org](#)
... the user must first provide its username and password ... on a remote configurable VLAN switch, Berkeley ... access control [22] performs layer 2 authentication of the ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Design of broadband IPv6/IPv4 dual-stack access router based on service stream](#)

J Gao, Y Zhang, L Hou, Z Hou - Parallel and Distributed Computing, Applications and ..., 2003 - [ieeexplore.ieee.org](#)
... The datagram engine can do datagram processing from Layer 2 to Layer 7, and ... The PCI's authentication procedure is: 1 The user name and password are inputted ...

[Web Search](#)

[User-friendly access control for public network ports - all 27 versions »](#)

G Appenzeller, M Roussopoulos, M Baker - INFOCOM'99. Eighteenth Annual Joint Conference of the IEEE ..., 1999 - [ieeexplore.ieee.org](#)
... might be asked to en- ter a username and password ... a web browser that supports the Secure Socket Layer (SSL) [8 ... to the campus back- bone (see Figure 2). The other ...

[Cited by 29](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[An Access Control Architecture for Metropolitan Area Wireless Networks - all 7 versions »](#)

S Schmid, J Finney, M Wu, A Friday, A Scott, D ... - Proc. 8th International Workshop on Interactive Distributed ..., 2001 - Springer
... While the username and password are required to ... the architecture supports an additional layer of protection based ... a reprieve time of approximately 2-5 seconds ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PDF\] Access Control in an Operator Neutral Public Access Network - all 2 versions »](#)

M Hedenfalk - Proyecto Final de Carrera, Royal Institute of Technology (..., 2002 - [entms.ssvi.kth.se](#)
... The user sends user name and password to the NAS, which ... This access control is performed at level 2 in the OSI model [17] (ie, the data link layer, see figure ...

[Cited by 14](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[DOC\] Making IEEE 802.11 Networks Enterprise-Ready - all 4 versions »](#)

A Ayyagari, T Fout - Microsoft Corporation, 2001 - maxwireless.biz
... information on the number of link layer retransmissions ... Figure 2 above illustrates
a typical network scenario ... AP does not include the User-Name RADIUS attribute ...
[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

QoS in DSL access

C Bouchat, S van der Bosch, T Pollet - Communications Magazine, IEEE, 2003 - ieeexplore.ieee.org
... to set up QoS pipe connectivity, VLAN membership, policing ... Layer 2 multi-cast
solutions are ATM point-to ... host identifies itself by providing a username and a ...
[Cited by 14](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[PDF] Applying the OSI Seven Layer Network Model To Information Security - all 4 versions »

D Reed - Practical GSEC, 2003 - giac.org
... based on arbitrary or dynamic limits [2,3,4,5 ... service advertises a logged-in user
name to any ... Session Layer Vulnerabilities Weak or non-existent authentication ...
[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Key authors: [K Ahmavaara](#) - [H Haverinen](#) - [R Pichna](#) - [M Kaeo](#) - [G Appenzeller](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google